

Associations of cognitive debt and cognitive reserve with mixed brain pathology and cognition

Hanna Boscheck¹ | Maxie Liebscher¹ | Ylenia D'Elia² | René Mauer³ |
 Oliver Peters^{4,5,6} | Josef Priller^{4,7,8,9} | Anja Schneider^{10,11} | Jens Wiltfang^{12,13,14} |
 Katharina Buerger^{15,16} | Robert Perneczky^{16,17,18,19} | Stefan Teipel^{20,21} |
 Christoph Laske^{22,23} | Annika Spottke^{24,25} | Frederic Brosse²⁶ |
 Renat Yakupov^{27,28} | Gabriel Ziegler²⁷ | Luca Kleineidam^{10,11} | Frank Jessen^{29,30,31} |
 Emrah Düzel^{27,32} | Michael Wagner^{10,33} | Sandra Roeske²⁶ | Natalie L Marchant³⁴ |
 Franka Gloeckner³⁵ | Olga M. Klimecki³⁵ | Miranka Wirth¹ | DELCODE study group

¹German Center for Neurodegenerative Diseases (DZNE), Dresden, Germany

²Center for the Neuroscience of Embodied Cognition (CeNEC), California, USA

³Medical Faculty Carl Gustav Carus, Dresden, Germany

⁴German Center for Neurodegenerative Diseases (DZNE), Berlin, Germany

⁵Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin and Humboldt-Universität zu Berlin, Berlin, Germany

⁶ECRC Experimental and Clinical Research Center, Charité Universitätsmedizin Berlin, Berlin, Germany

⁷University of Edinburgh and UK DRI, Edinburgh, United Kingdom

⁸Department of Psychiatry and Psychotherapy, School of Medicine and Health, Technical University of Munich, and German Center for Mental Health (DZPG), Munich, Germany

⁹Department of Psychiatry and Psychotherapy, Charité, Charitéplatz 1, Berlin, Germany

¹⁰Department of Old Age Psychiatry and Cognitive Disorders, University Hospital Bonn and University of Bonn, Bonn, Germany

¹¹University Hospital Bonn and University of Bonn, Bonn, Germany

¹²German Center for Neurodegenerative Diseases (DZNE), Goettingen, Germany

¹³Department of Psychiatry and Psychotherapy, University Medical Center Goettingen, University of Goettingen, Goettingen, Germany

¹⁴Neurosciences and Signaling Group, Institute of Biomedicine (iBiMED), Department of Medical Sciences, University of Aveiro, Aveiro, Portugal

¹⁵Institute for Stroke and Dementia Research (ISD), University Hospital, LMU Munich, Munich, Germany

¹⁶German Center for Neurodegenerative Diseases (DZNE), Munich, Germany

¹⁷Ageing Epidemiology (AGE) Research Unit, School of Public Health, Imperial College London, London, United Kingdom

¹⁸Department of Neuroradiology, University Hospital LMU, Munich, Germany

¹⁹Munich Cluster for Systems Neurology (SyNergy), Munich, Germany

²⁰German Center for Neurodegenerative Diseases (DZNE), Rostock, MV, Germany

²¹Department of Psychosomatic Medicine, University of Rostock, Rostock, Germany

²²Section for Dementia Research, Hertie Institute for Clinical Brain Research and Department of Psychiatry and Psychotherapy, University of Tübingen, Tübingen, Germany

²³German Center for Neurodegenerative Diseases (DZNE), Tübingen, Germany

This is an open access article under the terms of the [Creative Commons Attribution](https://creativecommons.org/licenses/by/4.0/) License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2025 The Alzheimer's Association. *Alzheimer's & Dementia* published by Wiley Periodicals LLC on behalf of Alzheimer's Association.

²⁴Department of Neurology, University of Bonn, Bonn, Germany

²⁵German Center for Neurodegenerative Diseases (DZNE), Venusberg-Campus 1, 53127, Bonn, Germany

²⁶German Center for Neurodegenerative Diseases (DZNE), Bonn, Germany

²⁷German Center for Neurodegenerative Diseases (DZNE), Magdeburg, Germany

²⁸Institute of Cognitive Neurology and Dementia Research (IKND), Otto-von-Guericke University, Magdeburg, Germany

²⁹Deutsches Zentrum für Neurodegenerative Erkrankungen e. V. (DZNE) Bonn, Bonn, Germany

³⁰Department of Psychiatry, University of Cologne, Medical Faculty, Kerpener Strasse 62, Cologne, Germany

³¹Excellence Cluster on Cellular Stress Responses in Aging-Associated Diseases (CECAD), Faculty of Medicine and University Hospital Cologne, Cologne, Germany

³²Institute of Cognitive Neurology and Dementia Research (IKND), Otto-von-Guericke University, Magdeburg, Sachsen Anhalt, Germany

³³University of Bonn Medical Center, Bonn, Germany

³⁴University College London, London, United Kingdom

³⁵Technische Universität Dresden, Dresden, Germany

Correspondence

Hanna Boscheck, German Center for Neurodegenerative Diseases (DZNE), Dresden, Germany.

Email: hanna.boscheck@dzne.de

Abstract

Background: Behavioral risk or protective factors related to “cognitive debt” and “cognitive reserve” may influence brain pathology and cognition and thereby contribute to resilience in aging. This cross-sectional study examined direct and indirect associations of cognitive debt (risk factor) and cognitive reserve (protective factor) with mixed brain pathologies and cognition in older adults.

Methods: A sample of $N = 298$ non-demented older adults (mean age=70 years, 56% male) from the DELCODE study (DRKS00007966) were analyzed using structural equation modeling (SEM) and an a-priori path model. We assessed the association between cognitive debt and cognitive reserve (modelled as latent constructs) and global cognition (Preclinical Alzheimer Cognitive Composite 5 [PACC5] modelled as latent construct) through pathological pathways involving beta-amyloid (A β) burden, hippocampal neurodegeneration, and white matter hyperintensities (WMH) in the corpus callosum splenium (CCs), while adjusting for age. A goodness-of-fit analysis ensured adequate model fit.

Results: Brain pathology was associated with lower PACC5 performance via direct pathways (for WMH in the CCs and hippocampal neurodegeneration) and indirect pathways (for A β deposition via hippocampal neurodegeneration) (all $p < .05$). Cognitive debt and cognitive reserve were not significantly associated with brain pathology (all $p > .05$). Cognitive reserve, but not cognitive debt, was independently associated with better PACC5 performance ($p = .005$). Cognitive debt and cognitive reserve were associated at trend level ($p = .068$). Results are displayed in Figure 1.

Conclusion: Brain pathologies were linked to lower cognitive performance. Cognitive reserve, but not cognitive debt, was independently associated with better cognitive performance (1). There were no significant associations of cognitive debt and cognitive reserve with brain pathologies. The findings suggest that cognitive reserve may influence resilience through mechanisms independent of brain pathology (2). Future longitudinal studies are needed to investigate these pathways and clarify causal relationships.

References

1. Vemuri P, Weigand SD, Przybelski SA, Knopman DS, Smith GE, Trojanowski JQ, et al. Cognitive reserve and Alzheimer's disease biomarkers are independent determinants of cognition. Brain. 2011;134(Pt 5):1479-92.

2. Vemuri P, Lesnick TG, Przybelski SA, Knopman DS, Roberts RO, Lowe VJ, et al. Effect of lifestyle activities on Alzheimer disease biomarkers and cognition. Ann Neurol. 2012;72(5):730-8.

